



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

NAME: GW-9761i Digital CNC Wire Coil Winding Machine



SPECIFICATION:

Spindles	1	Spread Motor	4-Phase stepping Motor
Wire diameter	0.02-0.8mm	Max Speed	6000rpm
Spread Pitch	0-9.999mm	Memory	999 Sequences
Spread Width	100mm (Max)	Power Source	AC 220V/110V±10%,50/60MHZ
Winding Width	150mm (Max)	Weight	45×67×10
Main Motor	1/2HP DC Motor	Dimension	45

FEATURES:

The ceramic rollers of Digital CNC Wire Coil Winding Machine prevent enamel from high temperature.

Digital CNC Wire Coil Winding Machine has multiple spindles synchronal winding for highest efficiency.

Digital CNC Wire Coil Winding Machine has more convenience by using foot-switch.

Nine winding parameters and 5 options can be independently assigned for each step.

Memory capacity accommodates 999 sequences of parameters with off-power memory retention.

ADVANTAGES:

The position of the winding point can be inputted by teaching, and the current position of the spool can be displayed.

Adopt multi - wire rows, four different diameters can be installed at the same time.

It can be replaced to make double axis synchronous winding machine.

The winding point, width, line distance and speed can be set in sections to achieve the purpose of multi-section and

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

multi-speed.

Single axis large torque Digital CNC Wire Coil Winding Machine is widely used in rectifier and other medium coils, solenoid valves, high-power transformers.

The program can be changed according to the need to achieve multi-function.

APPLICATION:

Typical applications for high torsion parallel spindle winding Machine with a single wire size, include the manufacture of gas ignition coils, solenoids, relays, motors and many forms of sensor coil in small and medium batch quantities. It is ideal for use in the production of small inductors, particularly bobbins wound with a single wire size and high turns count. The high maximum winding spindle speed (up to 6000 rpm) enables coils with a high turns count to be wound in a short cycle time.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp





WeChat

PRACTICAL APPLICATION :

TRAINING CUSTOMER TO OPERATE WINDING MACHINE :

- 1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breakdown problem.
 - 2.Guide the user to use accurately and how to maintain the Digital CNC Wire Coil Winding Machine.
- Provide free consultation about production process technology of electronic products.
- 3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English manual, video, guiding on line.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

- 1.General package(Paper carton or plastic bag): For small equipped parts for Digital CNC Wire Coil Winding Machine , Package it with form and pack paper to guarantee unbroken during the transport.
- 2.Wooden case package: For larger scale Digital CNC Wire Coil Winding Machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

OPTIONAL ACCESSORIES

NO.	Item/Specification	QUANTITY	UNIT
1	controller	1	PIECE
2	winding motor	1	PIECE
3	Spread motor	1	PIECE
4	optical fiber sensor	1	PIECE
5	B2-2.0 Inches shuttle	1	PIECE
6	4 inches and 6 inches shuttle (base on machine model)	1	PIECE
7	shuttle guide wheel	1	PIECE
8	fixture head	1	PIECE
9	green round belt (can send one free in orange)	1	M
10	gear shape belt	1	Belt

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015, CE approvals,Machines'Patents,"high-tech enterprises"by the government.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.